

## Dimethylcyclohex-3-ene-1-carbaldehyde (mixed isomers)

CAS-No.: 68737-61-1 (mixed isomers) 68039-49-6 68039-48-5 27939-60-2 67801-65-4 36635-35-5 68084-52-6 35145-02-9 The scope of this Standard includes, but is not limited to the CAS number(s) indicated above; any other CAS number(s) used to identify these fragrance ingredients should be considered in scope as well. Dimethylcyclohex-3-ene-1-carbaldehyde (isomer mixture) (68737-61-1) Synonyms: 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde (68039-49-6) 3.5-Dimethylcvclohex-3-ene-1-carbaldehyde (68039-48-5) Dimethylcyclohex-3-ene-1-carbaldehyde (isomer unspecified) (27939-60-2) 3,6-Dimethyl-3-cyclohexene-1-carboxaldehyde (67801-65-4) 3-Cyclohexene-1-carboxaldehyde, dimethyl- (isomer mixture) 2,4-Dimethyltetrahydrobenzaldehyde Dimethyltetrahydrobenzaldehyde (isomer mixture) Triplal (commercial name) Vertocitral (commercial name) Vertoliff (commercial name) Tricyclal (commercial name) Hivertal (commercial name) Agrumen Aldehyde (commercial name) Cyclovertal (commercial name) Ligustral (commercial name) Aldehyde AA (commercial name)

History:	Publication date:	2020 (Amendment 49)	Previous	2010
			Publications:	2013

Implement		For new creation*:	February 10, 2021
dates	:	For existing creation*:	February 10, 2022
*These dates apply to the supply of fragrance		*These dates apply to the supply of fragrance mixtu	res (formulas) only, not to the
finished consumer products in the marketplace.			

RECOMMENDATION:	RESTRICTION

MAXIMUM ACCEPTABLE CONCENTRATIONS IN THE FINISHED PRODUCT (%):			
Category 1	0.45 %	Category 7A	5.2 %



## Dimethylcyclohex-3-ene-1-carbaldehyde (mixed isomers)

Category 2	0.14 %	Category 7B	5.2 %
Category 3	2.7 %	Category 8	0.27 %
Category 4	2.5 %	Category 9	4.9 %
Category 5A	0.64 %	Category 10A	18 %
Category 5B	0.64 %	Category 10B	18 %
Category 5C	0.64 %	Category 11A	9.8 %
Category 5D	0.64 %	Category 11B	9.8 %
Category 6	1.5 %	Category 12	No Restriction

### **Fragrance ingredient restriction - Note box**

The above limits apply to Dimethylcyclohexen-3-ene-1-carbaldehyde (mixed isomers) used individually or in combination. The sum of concentrations of Dimethylcyclohexen-3-ene-1-carbaldehyde isomers should not exceed the maximum concentration levels established by this Standard.

FLAVOR REQUIREMENTS:	Due to the possible ingestion of small amounts of fragrance ingredients from their use in products in Categories 1 and 6, materials must not only comply with IFRA Standards but must also be recognized as safe as a flavoring ingredient as defined by the IOFI Code of Practice (www.iofi.org). For more details see chapter 1 of the Guidance for the use of IFRA Standards.
CONTRIBUTIONS FROM OTHER SOURCES:	SEE ANNEX ON CONTRIBUTIONS FROM OTHER SOURCES
INTRINSIC PROPERTY DRIVING RISK MANAGEMENT:	DERMAL SENSITIZATION

# RIFM SUMMARIES:

Maximum acceptable concentrations are based on a comprehensive safety assessment, considering various endpoints. Depending on the outcome of the safety assessment, it might be one or more endpoint(s) that will drive the derivation of the concentration levels. If more than one endpoint is of relevance, the maximum acceptable concentrations for each product category are derived from comparing maximum permitted level per endpoint consideration (e.g. dermal sensitization and/or systemic toxicity). Such maximum acceptable concentrations correspond to the lowest level obtained per category.

Additional information is available in the RIFM safety assessment for Dimethylcyclohex-3-ene-1-carbaldehyde (mixed isomers), which can be downloaded from the RIFM Fragrance Material Safety Assessment Center: http://fragrancematerialsafetyresource.elsevier.com/.



## Dimethylcyclohex-3-ene-1-carbaldehyde (mixed isomers)

### **EXPERT PANEL FOR FRAGRANCE SAFETY RATIONALE / CONCLUSION:**

The Expert Panel for Fragrance Safety reviewed all the available data for Dimethylcyclohex-3-ene-1-carbaldehyde (mixed isomers) and recommends the concentrations for the 12 different product categories, which are the maximum acceptable concentrations of Dimethylcyclohex-3-ene-1-carbaldehyde (mixed isomers) in the various product categories.

#### **REFERENCES:**

The IFRA Standard on Dimethylcyclohex-3-ene-1-carbaldehyde (mixed isomers) is based on at least one of the following publications:

- The RIFM Safety Assessment on Dimethylcyclohex-3-ene-1-carbaldehyde (mixed isomers) if available at the RIFM Fragrance Material Safety Assessment Center: http://fragrancematerialsafetyresource.elsevier.com
- Api A.M., Belsito D., Bruze M., Cadby P., Calow P., Dagli M. L., Dekant W., Dent M., Ellis G., Fryer A. D., Fukayama M., Griem P., Hickey C., Kromidas L., Lalko J., Liebler D.C., Miyachi Y., Politano V.T., Renskers K., Ritacco G., Salvito D., Schultz T.W., Sipes I. G., Smith B., Vitale D., Wilcox D.K. (2015). Criteria for the Research Institute for Fragrance Materials, Inc. (RIFM) safety evaluation process for fragrance ingredients. Food Chem Toxicol. 2015 Aug;82 Suppl:S1-S19 (http://fragrancematerialsafetyresource.elsevier.com/sites/default/files/Criteria Document Final.pdf).
- Salvito D.T., Senna R. J., Federle T.W. (2002). A framework for prioritizing fragrance materials for aquatic risk assessment. Environ Toxicol Chem. 2002;21:1301-1308 (https://www.ncbi.nlm.nih.gov/pubmed/12069318).

Additional information on the application of IFRA Standards is available in the Guidance for the use of IFRA Standards, publicly available at www.ifrafragrance.org.