\bigcirc

Acetyl isovaleryl

CAS-No.:	13706-86-0 The scope of this Standard includes, but is not limited to the CAS number(s) indicated above; any other CAS number(s) used to identify this fragrance ingredient should be considered in scope as well.
Synonyms:	5-Methyl-2,3-hexanedione 2,3-Hexanedione, 5-methyl- Acetyl isopentanoyl

History:	Publication date:	2006 (Amendment 40)	Previous	1980
			Publications:	1983
				2002

		For new creation*:	Not applicable.		
date	S:	For existing creation*:	Not applicable.		
		*These dates apply to the supply of fragrance mixtures (formulas) only, not			
		finished consumer products in the marketplace.			

RECOMMENDATION:	PROHIBITION	
FRAGRANCE INGREDIENT PROHIBITION:	Acetyl isovaleryl should not be used as a fragrance ingredient.	
CONTRIBUTIONS FROM OTHER SOURCES:	NONE TO CONSIDER BEYOND TRACES (SEE ALSO THE SECTION ON CONTRIBUTIONS FROM OTHER SOURCES IN CHAPTER 1 OF THE GUIDANCE FOR THE USE OF IFRA STANDARDS)	
INTRINSIC PROPERTY DRIVING RISK MANAGEMENT:	DERMAL SENSITIZATION	

EXPERT PANEL FOR FRAGRANCE SAFETY RATIONALE / CONCLUSION:

The Expert Panel for Fragrance Safety reviewed all the available data for Acetyl isovaleryl and recommends not to use Acetyl isovaleryl as or in fragrance ingredients in any finished product application.

REFERENCES:

The IFRA Standard on Acetyl isovaleryl is based on at least one of the following publications:

• The RIFM Safety Assessment on Acetyl isovaleryl is available at the RIFM Safety Assessment Sheet Database: http://fragrancematerialsafetyresource.elsevier.com/.

Acetyl isovaleryl

• Api A.M., Belsito D., Bruze M., Cadby P., Calow P., Dagli M. L., Dekant W., Dent M., Ellis G., Fryer A. D., Fukayama M., Griem P., Hickey C., Kromidas L., Lalko J., Liebler D.C., Miyachi Y., Politano V.T., Renskers K., Ritacco G., Salvito D., Schultz T.W., Sipes I. G., Smith B., Vitale D., Wilcox D.K. (2015). Criteria for the Research Institute for Fragrance Materials, Inc. (RIFM) safety evaluation process for fragrance ingredients. Food Chem Toxicol. 2015 Aug;82 Suppl:S1-S19 (doi: 10.1016/j.fct.2014.11.014). (http://fragrancematerialsafetyresource.elsevier.com/sites/default/files/Criteria Document Final.pdf).

• IDEA project (International Dialogue for the Evaluation of Allergens) Final Report on the QRA2: Skin Sensitisation Quantitative Risk Assessment for Fragrance Ingredients, September 30, 2016 (http://www.ideaproject.info/uploads/Modules/Documents/qra2-dossier-final--september-2016.pdf).

• Salvito D.T., Senna R. J., Federle T.W. (2002). A framework for prioritizing fragrance materials for aquatic risk assessment. Environ Toxicol Chem. 2002;21:1301-1308. (https://www.ncbi.nlm.nih.gov/pubmed/12069318).

• Opdyke, D.L.J., Letizia, C. (1982), Food and Chemical Toxicology 20, 637.

Additional information on the application of IFRA Standards is available in the Guidance for the use of IFRA Standards, publicly available at www.ifrafragrance.org.