

## Limonene

CAS-No.:	138-86-3 7705-14-8 5989-27-5 5989-54-8 The scope of this Standard includes, but is not limited to the CAS number(s) indicated above; any other CAS number(s) used to identify this fragrance ingredient should be considered in scope as well.
Synonyms:	p-Mentha-1,8-diene 1-methyl-4-prop-1-en-2-ylcyclohexene 1-Methyl-4-(1-methylethenyl)cyclohexene 1-Methyl-4-isopropenyl-1-cyclohexene 4-Isopropenyl-1-methylcyclohexene Cyclohexene, 1-methyl-4-(1-methylethenyl)- Dipentene

History: Publication date:	1995 (Amendment 29)	Previous Publications:	Not applicable.
----------------------------	---------------------	---------------------------	-----------------

For new creation*:	Not applicable.
For existing creation*: *These dates apply to the supply of fragrance mixtu	Not applicable. res (formulas) only, not to the
finished consumer products in the marketplace.	( , <b>)</b> ,

RECOMMENDATION:	SPECIFICATION
FRAGRANCE INGREDIENT SPECIFICATION:	Oxidation products of Limonene, especially hydroperoxides, have been demonstrated to be potent sensitizers. d-, I- and dI-Limonene and natural products containing substantial amounts of it, should only be used when the level of (hydro)peroxides is kept to the lowest practical level, for instance by adding antioxidants at the time of production. The addition of 0.1% BHT or $\alpha$ -Tocopherol for example has shown great efficiency. Such products should have a peroxide value of less than 20 millimoles per liter, determined according to the IFRA analytical method for the determination of the peroxide value, which can be downloaded from the IFRA website (www.ifrafragrance.org).
FLAVOR REQUIREMENTS:	Due to the possible ingestion of small amounts of fragrance ingredients from their use in products in Categories 1 and 6, materials must not only comply with IFRA Standards but



## Limonene

	must also be recognized as safe as a flavoring ingredient as defined by the IOFI Code of Practice (www.iofi.org). For more details see chapter 1 of the Guidance for the use of IFRA Standards.
CONTRIBUTIONS FROM OTHER SOURCES:	SEE FRAGRANCE MATERIAL SPECIFICATION
INTRINSIC PROPERTY DRIVING RISK MANAGEMENT:	DERMAL SENSITIZATION

## EXPERT PANEL FOR FRAGRANCE SAFETY RATIONALE / CONCLUSION:

The Expert Panel for Fragrance Safety reviewed all the available data for Limonene. Based on their expert judgement, they recommend to use the fragrance ingredient according to its specification mentioned above.

## **REFERENCES:**

The IFRA Standard on Limonene is based on at least one of the following publications:

• The RIFM Safety Assessment on Limonene if available at the RIFM Safety Assessment Sheet Database: http://fragrancematerialsafetyresource.elsevier.com/.

• Api A.M., Belsito D., Bruze M., Cadby P., Calow P., Dagli M. L., Dekant W., Dent M., Ellis G., Fryer A. D., Fukayama M., Griem P., Hickey C., Kromidas L., Lalko J., Liebler D.C., Miyachi Y., Politano V.T., Renskers K., Ritacco G., Salvito D., Schultz T.W., Sipes I. G., Smith B., Vitale D., Wilcox D.K. (2015). Criteria for the Research Institute for Fragrance Materials, Inc. (RIFM) safety evaluation process for fragrance ingredients. Food Chem Toxicol. 2015 Aug;82 Suppl:S1-S19 (doi: 10.1016/j.fct.2014.11.014). (http://fragrancematerialsafetyresource.elsevier.com/sites/default/files/Criteria Document Final.pdf).

• IDEA project (International Dialogue for the Evaluation of Allergens) Final Report on the QRA2: Skin Sensitisation Quantitative Risk Assessment for Fragrance Ingredients, September 30, 2016 (http://www.ideaproject.info/uploads/Modules/Documents/gra2-dossier-final--september-2016.pdf).

• Salvito D.T., Senna R. J., Federle T.W. (2002). A framework for prioritizing fragrance materials for aquatic risk assessment. Environ Toxicol Chem. 2002;21:1301-1308. (https://www.ncbi.nlm.nih.gov/pubmed/12069318).

• D.L.J. Opdyke, Fd. Cosmet. Toxicol. 13; 825 (1975).

Additional information on the application of IFRA Standards is available in the Guidance for the use of IFRA Standards, publicly available at www.ifrafragrance.org.