

Mintlactone

CAS-No.:	13341-72-5 38049-04-6 The scope of this Standard includes, but is not limited to the CAS number(s) indicated above; any other CAS number(s) used to identify this fragrance ingredient should be considered in scope as well.						
Synonyms:	Mintlactone 2(4H)-Benzofuranone, 5,6,7,7a-tetrahydro-3,6-dimethyl- 3,6-Dimethyl-5,6,7,7a-tetrahydro-1-benzofuran-2(4H)-one 3,6-Dimethyl-5,6,7,7a-tetrahydro-2(4H)benzo-furanone 5,6,7,7a-Tetrahydro-3,6-dimethyl-(4H)-benzofuran-2-one Dehydroxymenthofurolactone Menthofurolactone Mint furanone 2(4H)-Benzofuranone, 5,6,7,7a-tetrahydro-3,6-dimethyl-, (6R,7aR)- (-)-Mintlactone						
History:	Publication date:		2021 (Amendment 50)		Previous Publications:		Not applicable
Implementation For new creation*:				August 30, 2021			021
dates:		For existing of	reation*:			July 30, 2022	
*These dates apply to the supply of fragrance mixtures (formulas) only, not							
finished consumer products in the marketplace.							
RECOMMENDATION:				PROHIBITION			
FRAGRANC	BITION:	Mintlactone should not be used as a fragrance ingredient.					

CONTRIBUTIONS FROM OTHER SOURCES:

NONE TO CONSIDER BEYOND TRACES (SEE ALSO THE SECTION ON CONTRIBUTIONS FROM OTHER SOURCES IN CHAPTER 1 OF THE GUIDANCE FOR THE USE OF IFRA STANDARDS)

INTRINSIC PROPERTY DRIVING RISK GENOTOXICITY MANAGEMENT:

EXPERT PANEL FOR FRAGRANCE SAFETY RATIONALE / CONCLUSION:

The material Mintalctone has been reviewed by the Expert Panel for Fragrance Safety with the conclusion that it cannot be safely used as a fragrance ingredient. If the substance is found as an impurity in other



Mintlactone

fragrance ingredients, leading to trace level presence in finished products, please check the latest version of the Guidance to the IFRA Standards for the respective IFRA procedure.

REFERENCES:

The IFRA Standard on Mintlactone is based on at least one of the following publications:

- The RIFM Safety Assessment on Mintlactone if available at the RIFM Fragrance Material Safety Assessment Center: http://fragrancematerialsafetyresource.elsevier.com
- Api A.M., Belsito D., Bruze M., Cadby P., Calow P., Dagli M. L., Dekant W., Dent M., Ellis G., Fryer A. D., Fukayama M., Griem P., Hickey C., Kromidas L., Lalko J., Liebler D.C., Miyachi Y., Politano V.T., Renskers K., Ritacco G., Salvito D., Schultz T.W., Sipes I. G., Smith B., Vitale D., Wilcox D.K. (2015). Criteria for the Research Institute for Fragrance Materials, Inc. (RIFM) safety evaluation process for fragrance ingredients. Food Chem Toxicol. 2015 Aug;82 Suppl:S1-S19 (http://fragrancematerialsafetyresource.elsevier.com/sites/default/files/Criteria Document Final.pdf).
- Salvito D.T., Senna R. J., Federle T.W. (2002). A framework for prioritizing fragrance materials for aquatic risk assessment. Environ Toxicol Chem. 2002;21:1301-1308 (https://www.ncbi.nlm.nih.gov/pubmed/12069318).

Additional information on the application of IFRA Standards is available in the Guidance for the use of IFRA Standards, publicly available at www.ifrafragrance.org.